



## ZPMV2.E106758 Wiring, Printed - Component

For enhanced search functionality, please visit UL's [iQ™ Family of Databases](#).

Click on a product designation for complete information.

[Page Bottom](#)

### Wiring, Printed - Component

[See General Information for Wiring, Printed - Component](#)

**TW-ELEKTRIC HORST MUELLER GMBH**  
REIBSCHENTAL 45/1  
78120 FURTWANGEN/ROHRBACH, GERMANY

E106758

	Cond Width		Cond	SS/ DSO	Max Area	Solder Limits	Max Oper Temp	Meets UL796 Flame	C	I	
	Min	Edge									Thk
Type	mm(in)	mm(in)	mic(mil)		mm(in)	C	sec	C			
<b>Mass laminated (multilayered) printed wiring boards.</b>											
<b>3</b>	0.06 (0.002)	0.08 (0.003)	11 (0.43)	DS	25.4 (1.0)	288	20	130	V-0	All	3
<b>Multilayer printed wiring boards.</b>											
<b>2</b>	0.13 (0.005)	0.38 (0.015)	16.5 (0.65)	DS	49.3 (1.9)	260	20	105	V-0	All	3
<b>2B</b>	0.06 (0.002)	0.18 (0.007)	12 (0.47) Int:70	DS	25.4 (1.0)	288	20	125	V-0	All	3
<b>2C</b>	0.06 (0.002)	0.08 (0.003)	9 (0.35) Int:105	DS	25.4 (1.0)	288	20	130	V-0	All	3
<b>Single layer printed wiring boards.</b>											
<b>1</b>	0.13 (0.005)	0.3 (0.012)	16.5 (0.65)	DS	49.3 (1.9)	260	20	130	V-0	▲	*
<b>1A</b>	0.05 (0.002)	0.15 (0.006)	16.5 (0.65)	DS	25.4 (1.0)	274	20	120	V-0	▲	*
<b>1B</b>	0.06 (0.002)	0.18 (0.007)	12 (0.47)	DS	25.4 (1.0)	288	20	125	V-0	All	3
<b>1B&lt;</b>	0.06 (0.002)	0.18 (0.007)	17 (0.67)	DS	25.4 (1.0)	288	20	125	V-0	All	3
<b>1C</b>	0.06 (0.002)	0.08 (0.003)	9 (0.35)	DS	25.4 (1.0)	288	20	130	V-0	All	3

\* - CTI marking is optional and may be marked on the printed wiring board.

Marking: Company name or tradename "tw" or file number and type designation. May be followed by a suffix to denote factory identification or burning test classification.

[Last Updated](#) on 2016-08-09

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2016 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2016 UL LLC".